

COMPONENTS FOR AUDI® • PORSCHE® • VW® TOUAREG®

2005 CATALOG

PAGES 21 to 26 IN THIS SECTION:

Bilstein:

Coilovers

Shocks

KW Coilovers

Eibach:

Pro-Kit

Pro-Dampers

Pro-Spacers

Pro-Street Coilovers

Anti Roll Kits

1.888.465.5835

TOLL FREE TELEPHONE

1.888 GO LL TEK

WWW.LLTEK.COM

Legal necessities a	ınd niceties	2						
Table of contents		3						
Inside LLTEK		4						
I-TOP Information,	Terms, Ordering and Pricing	6-10						
D•BOV		II						
Wheels Selector		12-14						
Brakes	Winner Pro Brake Product	15						
	Brembo Brake Product	16-17						
	EBC Rotors / Brakelines	18						
	EBC Brake Pads	19						
Camber Adjusters	/ Caliper Paint	20						
Fusion Pilotois Shacks and Coileyers								

	Breinbo Brake Product	16-17
	EBC Rotors / Brakelines	18
	EBC Brake Pads	19
Camber Adjusters	/ Caliper Paint	20
Suspension	Bilstein Shocks and Coilover	s 2 I
	KW Performance Coilovers	22-23
	Eibach Suspension	24-26
Phone Base Leath		27
Exhaust Systems		28
Dash Kits		32
Mirror upgrades •	Sport / OEM / Retrolux	34-37
Roof Rack System		38-39
PS Racks • TT / Bo		40
Bike Rack System		41
Cool Badges and I		42-43
Exhaust Tips / Tui		43
Bras / Air Filters /	· · ·	44
Lighting Upgrades		45-57
Paint Program	מוום אננכססטוונס	58-60
RSR for A4B5	Signature Series	61-65
A4/S4 B5 Aero	_	01-05
A4/54 B5 AEro	Rieger, Kerscher	CC 77
4.4/5.4.DE	Zender, JE Design, Caractere	
A4/S4 B5	Spoiler Selector	74-75
A4/S4 B5	Styling	<i>7</i> 6
A4/S4 B5	Latest Developments	77
A4/S4 B5	Accessories	78-89
54 8E	Styling and Accessories	90-93
A4/S4 8E	Zender	94-95
	Uberhaus	96-99
	Caractere	100-103
	Kerscher	104-105
	Rieger	106-109
	JE Design	IIO-II3
	Spoiler Selector	114-115
	Rear valance (incl. A6 4B)	116
	Accessories	117-125
A4/S4 8G Cabrid	olet	126-127
TT 8N	Caractere	128-131
	Rieger	132-135
	Zender	136
	JE Design/Uberhaus	137
	Accessories	138-146
A6/S6/allroad®	Aero / Accessories	147-153
546 (C4/IOO)	Aero / Accessories	154
A8 D2 (1995-200		155
A8 D3 (2004 on)	· ·	156-158
	, h€® (996, 986, 955)	159-172
Styling for VW® 1		
	ouareg	173-177
The last page		178



Bilstein Suspension

System

BILSTEIN World Class Performance

Don't play fair ... get the ultimate performance suspension from

Bilstein. LLTEK is proud to offer Hi-Performance Bilstein

Suspension systems for super car handling, bringing track prowess to the street.

Evolving from a history of worldwide racing dominance, Bilstein introduces the ultimate tuned suspension system for Audi. All Bilstein monotube gas shocks feature the largest available pis-

ton diameter for greater sensitivity and precise control, patented digressive piston head design and deflective disc valving that instantly reacts to changing road input. Plus a monotube design that dissipates heat more effectively than a twin tube shock which all translates into a cooler, more efficient operation and longer life.

nance Bilstein response
n, bringing track Note: N

for sporty driving, adding precision response to your Audi or Porsche®.

Note: Models and part numbers referred to on this page are for per-

Choose a perfect-

ly-tuned top quality shock absorber

referred to on this page are for performance sport versions and are meant to be used with performance lowering springs. However, Bilstein also manufactures an HD version of the OEM shock set. This HD version gives you about a 15% to 20% firmer yet comfortable ride without lowering the car. If you have an interest in this type of product, call and we can special order. Pricing for HD versions is identical to the lowering version. With HD versions you do not have to change your springs.


EURO / USA Conversion Euro Code USA Code B14 PSS B16 PSS-9 B8 Sprint Sport (Lowered) B6 Sport Heavy D (not L)

Heavy Duty Systems

Hi-performance version of OEM shocks to Bilstein's exacting hi-performance standards.







An ultra high performance height adjustable suspension system featuring performance valved monotube gas shocks

The Bilstein PSS Suspension allows you to adjust your vehicle's ride height without the expense of the fully adjustable damping system. The system features both coilover and standard monotube gas shocks with performance level valving along with application specific, dual rate coil spring. The PSS system lets you set your car low and tight for optimum performance or back to a more stock like ride height and handling characteristics.

Ride height adjustments can be made on the vehicle without removing the suspension. The solid aluminum spring seat and lock nut allows selective adjustment of the vehicle's ride height. Spring travel and vehicle body height change, but the spring seat remains preloaded throughout the allowable range of adjustment.

The "Race Inspired" fully adjustable ride height system featuring monotube gas shock with nine precise adjustments

This product provides the ultimate in performance tuning. The fully adjustable monotube gas shocks offer a selection of nine precise compression and rebound settings, from comfort to competition. The front and rear dual rate springs allow accurate adjustment of the vehicle ride height and center of gravity for the level of performance you seek.

Now you can enjoy the precise suspension tuning formerly available only to race cars. The PSS 9 system puts you in complete control. Whether it's a weekend of competition or the daily commute, absolute handling and control are just a few twists away.

BILS	TEIN	PERF	ORMANCE						WW.	
# MODEL DI	APPLIC	AR ATIONS	FRONT SET PART	REAR SET PART	FRONT S PRICING		REAR SET PRICING		FRONT+REAF PRICING	₹
			ED ON A SET)		FRONT LIST			SPECIAL		SPECIAL
1 A4 B5 Q	96-98 up	to 2/98	BIL-F-B36-2081	BIL-R-BE3-2669-M2	\$167x2 = \$334	\$260	\$209x2 = \$418	\$333	\$334+418 = \$752	\$ 593
2 A4 B5 Q	98-00 fro	m 3/98 to 6/00	BIL-F-B36-2081	BIL-R-BE3-2622	\$167x2 = \$334	\$260	\$188x2 = \$376	\$299	\$334+376 = \$710	\$ 559
3 A4 B5 Q	00-01 fro	m 07/00 on	BIL-F-BE5-6513-HO	BIL-R-BE3-2622	\$179x2 = \$358	\$277	\$188x2 = \$376	\$299	\$358+376 = \$734	\$ 576
4 A4 B5 F	96-99 up	to 1/99	BIL-F-B36-2081	BIL-R-B36-2082	\$167x2 = \$334	\$260	\$167x2 = \$334	\$260	\$334+334 = \$668	\$ 520
5 A4 B5 F	99-00 02/	/99 to 06/00	BIL-F-B36-2081	BIL-R-BE3-6259-HO	\$179x2 = \$358	\$277	\$167x2 = \$334	\$260	\$358+334 = \$692	\$ 537
6 A4 B5 F	00-01 fro	m 07/00 on	BIL-F-BE5-6513-HO	BIL-R-BE3-6259-HO	\$179x2 = \$358	\$277	\$167x2 = \$334	\$260	\$358+334 = \$692	\$ 537
7 A4 B6F/Q	02 on		BIL-F-BE5-6516-HO	BIL-R-BE5-6517-HO	\$179x2 = \$358	\$277	\$179x2 = \$358	\$277	\$358+358 = \$716	\$ 554
8 S4 B5 Q	97 03		BIL-F-BE3-6213	BIL-R-BE3-6214	\$179x2 = \$358	\$277	\$179x2 = \$358	\$277	\$358+358 = \$716	\$ 554
9 S4 B5 Q	97-03 HD	-not lowered	BIL-F-BE3-6211	BIL-R-BE3-6212	\$167x2 = \$334	\$260	\$167x2 = \$334	\$260	\$334+334 = \$668	\$ 520
10 S4 B6 Q	04 on (4.:	2)								CALL
11 A6 Q	2/97-4/00)	BIL-F-B36-2081	BIL-R-BE5-6511-HO	\$167x2 = \$334	\$260	\$179x2 = \$358	\$277	\$334+358 = \$692	\$ 537
12 A6 Q	5/00 on		BIL-F-BE5-6508-HO	BIL-R-BE5-6511-HO	\$179x2 = \$358	\$277	\$179x2 = \$358	\$277	\$358+358 = \$716	\$ 554
13 A6 F	97 up to	4/00	BIL-F-B36-2081	BIL-R-BE3-2533	\$167x2 = \$334	\$260	\$159x2 = \$318	\$249	\$334+318 = \$652	\$ 509
14 A6 F	5/00 on		BIL-F-BE5-6510-HO	BIL-R-BE5-6543-HO	\$179x2 = \$358	\$277	\$159x2 = \$318	\$249	\$358+318 = \$676	\$ 526
15 A6 F(A)	97-4/00		BIL-F-B36-2081	BIL-R-BE3-2699-HO	\$167x2 = \$334	\$260	\$167x2 = \$334	\$260	\$334+334 = \$668	\$ 520
16 A6 F(A)	5/00 on		BIL-F-BE5-6510-HO	BIL-R-BE5-6545-HO	\$179x2 = \$358	\$277	\$159x2 = \$318	\$249	\$358+318 = \$676	\$ 526
17 A8/S8 Q	98-03		BIL-F-BE3-2609	BIL-R-BE5-2616	\$167x2 = \$334	\$260	\$167x2 = \$334	\$260	\$334+334 = \$668	\$ 520
18 TT Q	99 on		BIL-F-VE3-4638	BIL-R-BE5-6035	\$315x2 = \$630	\$488	\$188x2 = \$376	\$299	\$630+376 = \$1006	\$ 787
19 TT F	99 on		BIL-F-VE3-4638	BIL-R-BE3-6033	\$315x2 = \$630	\$488	\$178x2 = \$356	\$277	\$630+356 = \$986	\$ 765
MODEL		PPLICATION	DESCRIPTION			LOWERING	RANGE/NOTE		LIST PRICE SPECIAL	
20 A4 B5	F	ALL	Coilover set	BIL-HE5-8604-H		LOYALTY			\$ 1375	\$1111
21 S4 B5/RS		ALL	Coilover set (9	,		AND POINT			\$ 2325	\$ 1866
22 A4 B5	F	ALL	Coilover set (9	,	OPSS9	PROGRAM	POINTS AU		\$ 2025	\$ 1666
23 A4 B5	Q	ALL	Coilover set (9) BIL-GM5-8610-H	OPSS9		APP points on all		\$ 2095	\$ 1688
24 A4 B6/CA	B F/Q	ALL	Coilover set (9) BIL-GM5-8859-H	OPSS9	Bilstein	product for Audi!		\$ 2225	\$1788
25 A6 4B	F	ALL	Coilover set (9) BIL-GM5-8874-H	OPSS9				\$ 2250	\$1799
26 A6/S6/RS6	4B Q	ALL	Coilover set (9) BIL-GM5-8868-H	OPSS9 I	ncludes 2.8/	2.7T/3.0/4.2/S6 and F	RS6	\$ 2350	\$1888
27 TT	Q	99 on (not 3	3.2)* Coilover set	BIL-HE5-8041-H	OPSS F	F45mm, R 40	mm (range)		\$1495	\$1222
28 TT	Q	99 on (not 3	3.2)* Coilover set (9) BIL-GM5-8042-H	OPSS9 F	45mm, R 40	mm (range)		\$1950	\$ 1555
29 TT	F	99 on	Coilover set	BIL-HE5-8047-H	OPSS F	45mm, R 40	mm (range)		\$1375	\$1111
30 TT	F	99 on	Coilover set (9) BIL-GM5-8048-H	OPSS9 F	-45mm, R 40	mm (range)		\$1950	\$ 1555

Includes Avant. Prices in US dollars; specifications, availability and pricing subject to change. F: Front R: Rear T: Total A: Avant models A4: Sedan or Avant, not Ca PSS coilover: ride height adjustable, fixed dampening PSS 9: ride height adjustable with 9 adjustable dampening positions. * Awaiting verification - Call!







KW's coilover suspension features **INOX Stainless steel at no extra charge!**

All KW INOX Stainless Systems take advantage of low plunger out-drive plus adjustable aluminum spring collars to fine tune the vehicle's ride height and road holding capabilities to balance comfort with handling response for the finest driving experience. Changing wheel/tire profile or ride height? No problem: KW's INOX coilover suspension system adapts to any combination while remaining within TUV-approved adjustment range. Increased deflection means the vehicle can be adjusted to a lower ride height while maintaining required suspension travel.

VARIANT 1: Perfect preset factory dampening
The fixed Variant 1 KW INOX coilover allows for individual lowering of your Audi/Porsche® car within TUV tested parameters. These precise settings have been developed during extensive road test with all models of Audi cars by KW engineers. These engineers are totally aware of the need for a "perfect balanced solution" between comfort, sport handling and ride height.

VARIANT 2: Rebound adjustable

The balanced Variant 2 KW INOX coilover has an added adjustment feature for rebound dampening which controls pitch and roll motions of the Audi/Porsche® suspension platforms. This allows for a "personalized balanced solution" to fine tune the handling and comfort level of your Audi/Porsche®. With Variant 2, the experienced enthusiast can adapt the suspension settings to suit individual tastes, preferences and requirements.

VARIANT 3: Bump and rebound adjustable

The all new Variant 3 INOX coilover allows independent adjustments of compression and rebound dampening. New patented features include "low speed" compression technology to prevent squatting at time of hard braking and slow cornering. A second control valve regulates dampening at high speeds to assure greater comfort and control over rough surfaces. While Variant 3 can be used on the street in an ultra high performance mode, it is available for track use with its low compliancy design.

Photo provided by KW

VARIANT 1 with factory preset dampening

OPTIMALLY ADJUSTED DAMPENING INOX STAINLESS STEEL TECHNOLOGY INDIVIDUALLY HEIGHT ADJUSTABLE TUV TESTED LOWERING RANGE

HIGH QUALITY COMPONENTS FOR LONG LIFE

Variant 2 with adjustable rebound dampening

REBOUND ADJUSTABLE DAMPENING INOX STAINLESS STEEL TECHNOLOGY INDIVIDUALLY HEIGHT ADJUSTABLE

TUV TESTED LOWERING RANGE
HIGH QUALITY COMPONENTS FOR LONG LIFE

VARIANT 3 with adjustable compression and rebound dampening

INDEPENDENTLY CONTROLLED COMPRESSION INDEPENDENTLY CONTROLLED REBOUND ADJUSTABLE DAMPENING INOX STAINLESS STEEL TECHNOLOGY

INDIVIDUALLY HEIGHT ADJUSTABLE
TUV TESTED LOWERING RANGE

HIGH QUALITY COMPONENTS FOR LONG LIFE

KW threaded coilover units combine progressive-rate springs, custom sports engineered KONI twin-pipe externally adjustable shocks, plus externally threaded stainless struts rendering almost infinite adjustment for both vehicle height and rebound/ride stiffness.



75 mm JUSTABLE **Shock Firmness**



KW: Built to perform, Always INOX Stainless

1 Rubber elastic stops with indented ends for auto centering of belows Vented disks to prevent "suction effect" 2 Bellows to protect piston rod from dust and grime Anodized aluminum parts with surface hard coated • Grooved threaded flanges to adjust height front and rear 3 Hi performance springs using spring steel S4SICR6 Cold rolled, then warm set Sandblasting for special hardening, dephosphatized and polyester coated in KW yellow.







Call your friendly LLTEK representative for information and to orde



corrosion

(Germany) for a demanding saltwater corrosion test to compare deterioration rates. After 418 hours of testing, the KW perch housing moves freely and and is easily adjusted. The competition's coilover is no longer movable.





A new thread design for easy adjustment

To make height adjustment ultra smooth and easier, KW developed a new gliding trapezoidal thread design.

KW Newly Developed Trapezoidal Threads **Traditional Style** Metric Threads Coilover threaded body Coilover threaded Adjustable **Adjustable** Perch

W collover is more than just a spring and shock!

High tensile Terion seeds



INOX STAINLESS COILOVER PERFORMANCE VARIANT I PART NO PRICE MODEL YEAR LOWERING (MM) FRONT REAR NOTES VARIANT 2 PART NO PRICE MOTOR MOD€L BODY VARIATION PART NO A4 B5 Q 1.8T,2.8,2.7T 96-01 40-75 40-75 1, 10 KW11032 \$ 1466 KW21032 \$ 1688 KW31032 1966 2 A4 B5 1.8T,2.8 96-01 40-75 KW21037 KW31037 40-75 1, 10 KW11037 1388 1622 1888 3 A4 B6 1.8T,3.0 2002 on 35-65 35-60 2, 8 KW11030 1466 KW21030 1688 KW31030 1966 2002 on 4 A4 B6 1.8T,3.0 35-65 35-60 2, 8 KW11028 \$ 1466 KW21028 1688 KW31028 1966 F \$ 5 S4 B6 2004 on KW31035 2588 Q 4.2 10-40 10-40 2.8 1.8T,3.0 CAB/A KW11034 KW21034 6 A4 B6/8G 2002 on 35-65 35-65 2, 8 \$ 1466 \$ 1688 KW31034 1966 7 A6/S6 C5 Q All motors 1998 on 40-75 40-75 1, 8, 10 KW11026 \$ 1466 KW21026 \$ 1688 KW31026 1966 A6 C5 1998 on KW11011 KW21011 1688 KW31011 8 All motors 40-75 40-75 2, 8, 10 1388 1888 9 A8/S8 D2 3.7,4.2 1994 on 30-60 45 Fix 3, 8, 10 KW11024 \$ 1699 KW21024 \$ 1955 10 TT 8N KW11041 1888 1.8T,3.2 1998 on 25-50 25-50 1388 KW21041 1622 KW31041 \$ 2, 6, 14 \$ \$ 20-45 KW21031 1998 on KW11031 \$ 1466 KW31031 1688 11 TT 8N 1.8T 20-45 2, 6, 14 \$ 1222 \$ 12 Boxster® KW17101 \$ 2111 986 ΑII 30-50 30-50 KW27101 \$ 2333 KW37101 2599 Carrera® 2 13 993 ΑII 20-40 10-30 KW37104 2866 14 Carrera® 4,4S,T 993 ΑII 25-45 10-30 KW37105 2866 15 Carrera® 2 996 ΑII 20-40 20-40 KW37102 3111 16 Carrera® 4, 4S ΑII KW37108 4022 996 Carrera® Turbo 996 ΑII 15-30 10-30 KW37103 \$ 4022 Carrera® GT2 18 996 ΑII KW37106 \$ CALL Carrera® GT3 \$ CALL ΑII KW37107

Prices in US dollars; 1 specifications

pricing subject to

Height adjustable on front and rear via threaded housings

- Height adjustable on front and rear via front axle threaded housing, rear axle adjustable via springs plus shocks
- front axle threaded housings, rear axle via springs plus shocks
- When using original tires, wheel offset spacers may be required
- 10 With Variant 2, stiffness adjustment accessible 14 TT cars with ESP only



LAPP points not applicable for product for Porsche



Call your friendly LLTEK representative for information and to order



Eibach makes the finest performance Audi springs in the world. Period. When other springs sag, wear out, or create sketchy handling or a bone-crushing ride, top street tuners – like top race teams, from F1 to WRC, from Le Mans to NASCAR - inevitably turn to Eibach. And, also inevitably, wonder why they didn't choose Eibach in the first place.



- All Components Extensively Developed and Road Tested for Maximum Performance
- Street Kits Designed for the Best Performance, the Best Look and the Best Ride
- Ultra-Lightweight, for Reduced Unsprung Mass
- Exceptional Block Resistance and Durability



PRO-KIT The Eibach Pro-Kit is the perfect answer for high performance-driven street Audi cars. It's the legendary spring system that dramatically improves Audi's handling performance and appearance.

Pro-Kit lowers your car's center of gravity, reducing squat during acceleration, body roll in corners and excessive nose-dive under braking. When combined with larger high performance wheels and low profile tires (supplied by LLTEK of course), the Eibach Pro-Kit is the finishing

touch to a winning recipe for performance. Pro-Kit also reduces excessive fender-well clearance, making your Audi look just as hot as it performs.

Every Eibach Pro-Kit is designed and tested by their suspension engineers and performance driving professionals to deliver aggressive good looks and high performance handling, without ever compromising safety or ride quality.

a commitment Eibach undertakes to produce a damper worthy of the Eibach name.

PRO-DAMPERS Eibach team developed Pro-Dampers specifically to complement the unique characteristics of the Eibach Pro-Kit, taking full advantage of the increased spring rate and lower center of gravity. The result is enhanced performance throughout the entire working range of the suspension system in your Audi. Eibach engineers tuned Pro-Damper damping characteristics to achieve maximum performance, but without

Performance Shocks High Performance Handling

High Performance Handling

Lower Center of Gravity

Excellent Ride Quality Million Mile Eibach Warranty

Lowers vehicle 1.0" - 1.4"

Progressive Spring Design

Controlled Ride Quality

Compliant Ride Quality

Million Mile Eibach Warranty excessive stiffness or ride harshness. This precise tuning takes time and suspension expertise –

PRO-SPACERS To give your Audi the final visual and performance touch, Eibach engineers have created an Audi line of Eibach Pro-Spacers. These are designed to give your Audi a wider, more stable stance, quickly and easi-

ly. They are also a perfect match for the famous Eibach Pro-Kit Lowering Spring Sets and Pro-Dampers shocks. With the proper Fender Eibach Pro-Spacers installed, your Measure the Gap car takes on a more aggressive look with the wheels and tires – filling the wheel arches exactly the way they should.

High-Strength Aircraft-Aluminum Alloy

Precision Engineered Hub-Centric

Strength-Tested for All applications

Extreme corrosion Protection

DIN 50021 Approved Coating Process

TUV, QS9000, ISO9001 Quality Approved

Reduced Weight vs Steel Wheel Spacers

Fine-tuning your track width doesn't just enhance your Audi's looks – it also gives you improved handling performance and optimized roll characteristics. Pro-Spacers for Audi are available in a wide range of sizes, from 5mm all the way to 25mm, letting you position your tires exactly where they will look and perform their best.

You'll achieve optimum looks – and enhanced handling – by moving your Audi wheels flush with the outer edges of the wheel wells. Simply measure the wheel-well/tire gap, as shown on the illustration, and order the corresponding Pro-Spacers to put your wheels and tires out where they belong.


System 1

- pacer disc (5mm-8mm) with bolt through system
- Hub-Centric through center bore
- Fastening by using longer wheel



System 2

- pacer disc (10mm 20mm) with bolt through
- Hub-Centric with centering hub
- Fastening by using longer wheel bolts (included)



System 3

- Spacer disc (25mm) with bolt on-system
- Hub-Centric with centering hub
- Fastening by using spacer bolts which are included, and original wheel bolts (not included)





EIBACH SPRINGS: Quality Unsurpassed "Dominate the track. Rule the street."

Eibach uses the exact same technology in its Audi street springs as it does in its legendary race springs. They use the world's finest Hi-Ten spring steel, produced to exceedingly precise tolerances. They use worldrenowned German CNC coilers, as well as many unique machines engineered and built specifically by Eibach - simply state-of-the-art technology, in every step of the manufacturing process. But it's not just about machines and technology; it's about people. Most notably, the Eibach Springmeisters, working at production plants in Germany and the USA: Talented, expert craftsmen, each committed to creating the finest race and street-performance - Audi springs in the world.

PRO-STREET COILOVERS Now, using the very

same Eibach technology used in Formula 1 race cars, you can get each corner of your Audi looking and performing its very best. Eibach's exciting new Pro-Street, Coil-Over/Damper Packages let serious drivers quickly adjust the ride height and corner weight of each individual wheel, giving you the ultimate flexibility for precise street and track tuning.

Eibach Racing Dampers "ERD" and Racing Springs "ERS" are used in top-level racing series all over the world. They have used this experience, gained from many decades at the highest levels of International Motorsport, including Formula 1, NASCAR, CART, IRL, Super Touring Car and the World Rally Championship, to put these technological masters and the bands of Audi performance on thusing the terpieces into the hands of Audi performance enthusiasts.

- Formula 1 Racing Technology Now for the Street
- High Performance Threaded Bodied Coilovers
- Adjustable Lowering: Front 1.2-3 in. Rear 0.8-2.5 in.
- Extreme Looks Meet World-Class Performance
- Legendary Eibach Suspension tuning
- Excellent Ride Quality
- Progressively Stiffer When Pushing To The Limit
- The Ultimate in Coilover Street Performance

Note: The coilover kit shown is for illustration purpose only. \coilover model may differ.



Just a note to thank you and the technical personnel at LLTEK. Took the car to the Mo-Hud Region Solo 2 event in Albany, NY on Sunday, Just a couple of days after the coilover suspension kit was installed. We set the shocks about 3/4 stiff and my daily ride to work is no problem. The car seems so much more predictable and I didn't worry about losing my fillings even once. The ride was just as you described.

The fun part was the autocross. I had entered a few last year, but the car plowed heavily in the corners and while I had fun and created a lot of tire smoke, I didn't do all that well. I'll also admit to a lot of inexperience in taking advantage of the all-wheel-drive. The new LLTEK front sway bar and the coilover shock/spring kit you recommended accomplished two things.

One; it made the car so neutral I eliminated three braking points altogether and just throttle-steered instead, gaining all sorts of time each lap and Two; the car was now so stable and willing to go where I pointed it that my confidence soared. I can't wait to get as good as I think I am! I can concentrate on my driving now because the car is just right.

Thanks again for your help LLTEK and for what I now believe is your honest interest in helping me improve my car rather than just selling a lot of parts. That's what I told the 5 guys who came over after my last run and wanted to know what I had for suspension and where I got it. Only thing I did wrong was forget to tell them to mention my name

Thanks again

Paul B.

ANTI-ROLL KITS (sway bar kits) Complete your Audi suspension upgrade with an Eibach front only Anti-Roll-Kit. While the Pro-Kit and Pro-Dampers are regarded as the primary suspension enhancement components, the Eibach Anti-Roll-Kit allows critical fine-tuning of the Audi A4 B5 handling characteristics.

The A4 B5 Anti-Roll-Kit reduces body roll through increased design stiffness over the stock bar. The result: increased handling and cornering grip in any performance-driving situation.

Manufactured from cold-formed, high-strength aircraft-grade steel for precision performance, and finished with a long-lasting red powder coat finish. Each Anti-Roll-Kit comes complete with all necessary mounting hardware and instructions for easy installation.

- Performance Tuned Handling
- **Further Reduce Body Roll**
- Precision Engineered for Pro-Kit & Pro-Dampers
- Audi A4 B5 32mm front adjust., TT 22mm front adjust.
- Million Mile Eibach Warranty



Sway bar kit shown is for illustration purpose only. You sway bar model may differ.




Note: Extra good news!

LLTEK also has two other Anti-Roll Anti-Sway Kits. Now available is a double bar kit (front and rear bars) for the A4/S4 B5 (front 30mm, rear 20mm). The new A4/S4 B6/8E also benefits from a new double bar kit (front 32mm, rear 22mm). Both double bar kits deliver exceptional anti-roll anti-sway characteristics for a very overall tuned and balanced result

MODEL	. FRONT	REAR	PART NO	PRICE			
B 5	30mm	20mm	UHB5-01K	\$ 411set			
8E-B6	32mm	22mm	UH8E-37K	\$ 433set			
Front or rear anti roll bar also sold separately.							









F	'RO-	SPACE	RS .	
#	SIZE	TYP€	PART	PRICE
A4	·S4 / A6	•S6 (5X11	NO. 2) / TT (5X100)	USD
1	5mm	System 1	90.1.05.006.1	\$ 88 (A)
2	8mm	System 1	90.1.08.001.1	\$ 99 (B)
3	15mm	System 2	90.2.15.005.1	\$ 177 (A)
4	20mm	System 2	90.2.20.004.1	\$ 186 (A)
5	25mm	System 3	90.3.25.005.1	\$ 182 (B)
6	20mm	System 3	90.3.25.003.1	\$ 182 (C)
A8	· S8 (5X [.]	112) D2 AN	ID D3	
7	5mm	System 1	90.1.05.016.1	\$ 88
8	8mm	System 1	90.1.08.002.1	\$ 99
9	15mm	System 2	90.2.15.013.1	\$ 177
10	20mm	System 2	90.2.20.003.1	\$ 186
11	25mm	System 3	90.3.25.005.1	\$ 182
POR	SCHE® 92	<u>8/944/968/99</u>	<u>3/964/959/930/911</u>	I CARRERA®
12	7mm	System 5	90.5.07.001.1	\$ 173
13	15mm	System 6	90.6.15.018.1	\$ 192
POR	<u> SCHE® 99</u>	6/996GT3/996	5 TURBO/986 (S) B(OXSTER®
14	7mm	System 1	90.1.07.001.1	\$ 177
15	15mm	System 2	90.2.15.018.1	\$ 215
P	rices in l	JS dollars; s	pecifications, av	ailability

and pricing subject to change.

(A) 5x112 and 5x100 • (B) Not for TT • (C) Only TT

7		EIB/	ΔC	Н	PRO-I	KIT (LOWE	RING	3 5	SPF	RINGS)		
	#	•			YEAR	SEDAN PART NO.	F/R LOW®		RICE SD	AVANT PART NO.	F/R LOW [®]	PRICE USD
I						S (4 SPRING SET)	1.4/1.0	•	077	FID 4500 440 A	1.0/1.0	ф 077
	1	A4 B5			97-01	EIB 1534.140-S	,		277	EIB 1539.140-A	1.2/1.2	\$ 277
	2	A4 B5	Q	2.8	96-01	EIB 1535.140-S	,	-	277	EIB 1544.140-A	1.2/1.2	\$ 277
	3	A4 B6	Q	1.8T	02 on	EIB 1579.140-S	,		277	EIB 1584.140-A	1.2/1.2	\$ 277
	4	A4 B6	Q	3.0	02 on	EIB 1578.140-S	1.2/1.2		277	EIB 1585.140-A	1.2/1.2	\$ 277
ı	5	A4 B5	F	1.8T	97-01	EIB 1531.140-S	,	-	277	EIB 1537.140-A	1.2/1.2	\$ 277
	6	A4 B5	F	2.8	96-01	EIB 1532.140-S	,	-	277	EIB 1543.140-A	1.2/1.2	\$ 277
	7	A4 B6	F	1.8T	02 on	EIB 1576.140-S	1.2/1.2	-	277	EIB 1582.140-A	1.2/1.2	\$ 277
١,	8	A4 B6	F	3.0	02 on	EIB 1577.140-S	,		277	EIB 1583.140-A	1.2/1.2	\$ 277
ı	9	A6 C5	Q	V6	98 on	EIB 1562.140-S	,	-	288	EIB 1566.140-A	1.2/1.2	\$ 288
1	10	A6 C5	Q	4.2	01 on	EIB 1580.140-S	1.2/1.2	\$ 2	288			
ì	11	A6 C5	F	V6	98 on	EIB 1559.140-S	1.4/1.3	\$ 2	288	EIB 1564.140-A	1.2/1.2	\$ 288
ı	12	A8 D2	Q	4.2	97-03	EIB 1581.140-S	1.2/1.2	\$ 2	277			
ì.	13	A8 D3	Q	4.2	04 on	Under developmen	ıt	(Call	ABBREVIATIONS	D. D. data	
į	14	A4 Cab	Q	1.8T	04 on	Under developmen	ıt	(Call	M: Model CH: Chassis	R: Roadster S: Sedan	
ŝ	15	A4 Cab	Q	3.0	04 on	Under developmen	ıt	(Call	DR: Drivetrain	A: Avant	
8	16	A4 Cab	F	1.8T	03 on	EIB 1587.140-CAB	1.0/1.0	\$ 2	277	F/R LOW: Lowering Front/Rear	Q: Quattro F: Front wh	ool drive
ä	17	A4 Cab	F	3.0	03 on	EIB 1586.140-CAB	0.8/0.8	\$ 2	277	C: Coupe	Cab: Cabrio	
ĕ	18	TT	F	1.8T	99 on	EIB 1567.140-C	1.1/1.1	\$ 2	277	о. остро		
1	19	TT	F	1.8T	99 on	EIB 1571.140-R	1.1/1.1	\$ 2	277			
	20	TT	Q	1.8T	99 on	EIB 1570.140-C/R	1.1/1.1	\$ 2	277			
۱	21	TT	Q	3.2		Under developmen	t-C/R	. (Call			
ı	S-C	AR PRO)-KI	T LOV	VERING S	PRING (4 SPRING						
	22	S4 B5	Q	2.7T	00-02	EIB 1568.140-S	1.7/1.3	\$ 2	288	EIB 1569.140-A	1.7/1.3	\$ 288
	23	S4 B6	Q	4.2	04 on	Under developmen	t - S	(Call	Under developme	ent – A	Call
1	24	S4 8G	Q	4.2	04 on	Under developmen	t - CAB	(Call			
	25	S6 C5	Q	4.2	02 on	(Sedan-European	only)			Under developme	ent – A	Call
	26	S8 D2	Q	4.2	01 on	Under developmen	t - S	(Call			
			P	rices i	n US dolla	rs; specifications, av	ailability a	and	pricin	g subject to chang	e.	

Prices in US dollars; specifications, availability and pricing subject to change. (1) Lowering specification based on European models as provided by Eibach.

	EIBA	CH F	2RO-	STREET C		OVER	3	- 300	
#	M/CH D	R ENG I	MODEL YEAR	SEDAN PART NO.	F/R LOW ^ω	PRICE USD	AVANT PART NO.	F/R LOW®	PRICE USD
PR	O-STREE	T COILO	<u>VERS FO</u>	R AUDI CARS (SE	T OF 4				
1	A4 B5 Q	1.8T	97-01	EIB 1534.710-S	F1/R1	\$ 1311	EIB 1539.710-A	F1/R2	\$ 1311
2	A4 B5 Q	2.8	96-01	EIB 1535.710-S	F1/R2	\$ 1311	EIB 1544.710-A	F1/R2	\$ 1311
3	S4 B5 Q	2.7T	00-02	EIB 1535.710-S	F1/R2	\$ 1311	EIB 1544.710-A	F1/R2	\$ 1311
4	A4 B5 F	1.8T/2.8	96-99	EIB 1531.710-S	F1/R1	\$ 1311	EIB 1537.710-A	F1/R1	\$ 1311
5	A4 B5 F	1.8T/2.8	99.5-01	EIB 1533.710-S	F2/R1	\$ 1311	EIB 1538.710-A	F1/R1	\$ 1311
6	A4 B6 Q	1.8T	02 on	EIB 1579.710-S	F1/R2	\$ 1311	EIB 1579.710-A	F1/R2	\$ 1311
7	A4 B6 Q	3.0	02 on	EIB 1578.710-S	F1/R2	\$ 1311	EIB 1578.710-A	F1/R2	\$ 1311
8	A4 B6 F	1.8T	02 on	EIB 1576.710-S	F1/R2	\$ 1311	EIB 1576.710-A	F1/R2	\$ 1311
9	A4 B6 F	3.0	02 on	EIB 1577.710-S	F1/R2	\$ 1311	EIB 1577.710-A	F1/R2	\$ 1311
10	A6 C5 Q	V6	98 on	EIB 1562.710-S	F1/R3	\$ 1311	EIB 1566.710-A	F1/R3	\$ 1311
11	A6 C5 F	V6	98 on	EIB 1559.710-S	F1/R3	\$ 1311	EIB 1564.710-A	F1/R3	\$ 1311
12	TT 8N Q	1.8T	99 on	EIB 1570.710-C/R	F2/R2	\$ 1311	Front low.	Rear low.	
13	TT 8N F	1.8T	99 on	EIB 1571.710-R	F2/R2	\$ 1233	F1 1.2 – 3.0	R1 0.8 - 2.5	
14	TT 8N F	1.8T	99	EIB 1567.710-C	F3/R2	\$ 1233	F2 1.2 – 2.5	R2 0.8 – 2.0	
PR	O-STREE	T COILO	VERS FO	R PORSCHE® CAP	RS (SET	OF 4)	F3 1.6 – 3.0	R3 0.8 - 16	
15	993 Coup	e, Cabric	o, Targa (2	2wd/4wd) not turbo		95-98	EIB 7208.710	F2/R2	\$ 1966
16	996 Coup	e, Cabric	(2wd) no	ot turbo	98 on	EIB 7213.710	F2/R2	\$ 2044	
17	996 C4 C	oupe (4w	d) not tur	bo	98 on	EIB 7214.710	F2/R2	\$ 2044	
18	. , ,								
19	986 Boxs	ter®, Boxs	ster® S®			97 on	EIB 7212.710	F2/R2	\$ 2044
P.	rices in US	dollars;	specificat	ions, availability and Is as provided by Ei	d pricing	subject to	change. (1) Low	ering specific	ation
	baseu	JII Lai Ope	Juli Hioue	is as provided by Li	bacii. 3	ce code cha	it for lowering va	ide in inches	

	BIL	STEIN PSS9	COIL	OVERS - PORS	CHE® -	3334
	CH	MODEL	YEAR	PART NO	LIST PRICE	SPECIAL PRICE
CO	ILOVER	IS FOR PORSCHE® CARS	S (SET OF	4) • 9 ADJUSTABLE DAME	PENING SETT	NGS
1	993	C2,C4,C4S,C4 Turbo	95-98	BIL GM5 8044-HO PSS9	\$ 3295	\$ 2666
2	996	C2 (2wd) not Turbo	98 on	BIL GM5 8846-HO PSS9	\$ 3295	\$ 2666
3	996	C4(4WD) not Turbo	98-on	BIL GM5 8848-HO PSS9	\$ 3295	\$ 2666
4	996	C4 (4WD) Turbo	98 on	BIL GM5 8877-HO PSS9	\$ 3450	\$ 2777
5	986	Boxster®, Boxster® S®	97 on	BIL GM5 8847-HO PSS9	\$ 2695	\$ 2155
		Prices in US dollars; s	pecificatio	ns, availability and pricing sub	ject to change.	

		7		
ANTI F	1011		$\Box \land \Box \lor$	
	21 11 1		BARI	

	M/CH		MOTOR		FRONT SIZE	SIZE	NO.	PRICE USD
Į	JSES OEI	M M	<u>OUNTING POI</u>	NTS•FLA	T CORNER	ING STANCE • E/	ASY INSTAL	L
1	A4/S4 B5	QF	1.8T,2.8,2.7T	EIBACH	33mm (Adji	ust.)	EIB 1531.310	\$ 299
2	A4/S4 B5	Q	1.8T,2.8,2.7T	UHAUS	30mm	20mm (Adjust.)	UHB5-01K	\$ 411
3	A4/S4 B5	QF	1.8T,2.8,2.7T	UHAUS	30mm	•	ADB5-01	\$ 222
4	A4/S4 B5	Q	1.8T,2.8,2.7T	UHAUS	•	20mm (Adjust.)	ADB5-02	\$ 199
5	A4/S4 B6	QF	1.8T,3.0,4.2	UHAUS	32mm	22mm	UH8E-37K	\$ 433
6	A4/S4 B6	QF	1.8T,3.0,4.2	UHAUS	32mm	•	AD8E-03	\$ 244
7	A4/S4 B6	Q	1.8T,3.0,4.2	UHAUS	22mm	•	AD8E-04	\$ 199
8	TT	QF	1.8T 180/225 ⁽¹⁾	EIBACH	22mm (Adji	ust.)	EIB 1567.310	\$ 288
	A 40.0		110 4-11			and the second second		

Prices in US dollars; specifications, availability and pricing subject to change. Eibach A4B5 new front bushing supplied. (1) Not 3.2 at time of publication. Call LLTEK. UHAUS A4 front bushing re-used, rear new bushing supplied.

with any suspension upgrade for Audi



EIBACH PRO-DAMPER (SHOCKS)

#	M/CH	DR	ENG	MODEL	PART NO.	PRICE
PR	O-DAMF	PER K	(IT (4 DAI	<u>MPERS PEF</u>	R KIT)	
1	A4 B5	Q	1.8T/2.8	96-99	EIB 1534.840 - S/A	\$ 566
2	A4 B5	Q	1.8T/2.8	99.5-01	EIB 1541.840 - S/A	\$ 566
3	A4 B5	F	1.8T/2.8	96-99	EIB 1530.840 - S/A	\$ 533
4	A4 B5	F	1.8T/2.8	99.5-01	EIB 1533.840 - S/A	\$ 455
5	A4 B6	Q	1.8T/3.0	02 on	Under development	Call
6	A4 B6	F	1.8T/3.0	02 on	EIB 1576.840 - S/A	\$ 388
7	A6 C5	Q	6 cyl.	98-01	EIB 1562.840 - S/A	\$ 566
8	A6 C5	Q	6 cyl.	98 on	EIB 1566.840 - S/A	\$ 566
9	A6 C5	F	6 cyl.	98-01	EIB 1558.840 - S/A	\$ 455
10	A6 C5	F	6 cyl.	02 on	EIB 1559.840 - S/A	\$ 455
11	S4 B5	Q	2.7T	00-03	EIB 1541.840 - S/A	\$ 566
12	S4 B6	Q	4.2	04 on	Under development	Call
13	TT	F	1.8T	99 on	EIB 1567.840	\$ 633
14	TT	Q	1.8T/3.2	99 on	Under development	Call

Prices in US dollars; specifications, availability and pricing subject to change. 6 cyl.: 2.8/3.0/2.7T.